

Marsden Research Labs
 info@mrlabs.us
 1-844-8-MRLABS
 465 Nevada Way Suite 3
 Boulder City, NV 89005



Project 145650
Lab # 211798
Date Rec'd 8/17/2026
Report Issued 9/8/2026

Certificate of Analysis



Compound TB-500
Label Claim 5 mg
Batch/Lot MRL-TB5-260702


<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	99.8	%	1		HPLC-UV/MS	8/27/2026	
TB-500	3.09	mg	.1	61.8	HPLC-UV-MS	8/27/2026	885340-08-9
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	8/27/2026	

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
 Methods shown reference current Krause Analytical SOPs
 ND - Not detected LOQ - limit of quantification
 All values reported on a per vial basis unless otherwise noted
 Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause
 Laboratory Director

CHROMATOGRAM



Sample Report:

1: (Time: 0.30) Combine (13:19- (7:10+30:33))

1:MS ES+
5.1e+006